Journal of Biomedical Materials Research
Author Index—Volume 57

Adams, A. K.
—; Talman, E. A.; Campbell, L.; McIlroy, B. K.; Moore, M. A.: Crosslink formation in porcine valves stabilized by dye-mediated photooxidation, 582
Adrey, J. See Fiorito, S., 35
Akin, F. A.
—; Zreiqat, H.; Jordan, S.; Wijesundara, M. B.; Hanley, L.: Preparation and analysis of macroporous TiO_2 films on Ti surfaces for bone–tissue implants, 588
Albert, T. J. See Caterson, E. J., 394
Almeida, M. J.
—; Pereira, L.; Milet, C.; Haigle, J.; Barbosa, M.; Lopez, E.: Comparative effects of nacre water-soluble matrix and dexamethasone on the alkaline phosphatase activity of MRC-5 fibroblasts, 306
Ambrosio, L. See Branda, F., 79
Andersson, A. See King, A., 374
Anseth, K. S. See Nuttelman, C. R., 217
Askendal, A. See Tengvall, P., 285
Augat, P. See Ignatius, A. A., 126
Aughenbaugh, W.
—; Radin, S.; Ducheyne, P.: Silica sol-gel for the controlled release of antibiotics. II. The effect of synthesis parameters on the *in vitro* release kinetics of vancomycin, 321
Austin, C. See Loebsack, A., 575
Aversa, P. See Milella, E., 248

Baptiste, D. See Miralles, G., 268
Baran, G. R. See Liu, Q., 384
Barbosa, M. See Almeida, M. J., 306
Barra, G. See Milella, E., 248
Baudoin, R. See Miralles, G., 268
Beatty, M. W.
—; Bruno, M. J.; Iwasaki, L. R.; Nickel, J. C.: Strain rate dependent orthotropic properties of pristine and impulsively loaded porcine temporomandibular joint disk, 25
Beiler, R. See Loebsack, A., 575
Bellis, S. L. See Kilpadi, K. L., 258
Bengtsson, T. See Wetterö, J., 550
Bernier, P. See Fiorito, S., 35
Bhardwaj, T.
—; Pilliar, R. M.; Grynpas, M. D.; Kandel, R. A.: Effect of material geometry on cartilagenous tissue formation *in vitro*, 190
Bhonde, M. R. See Risbud, M. V., 300
Bhonde, R. R. See Risbud, M. V., 300
Bolarín, A. See Coreño, J., 119
Bowen-Pope, D. F. See Goessl, A., 15
Branda, F.
—; Costantini, A.; Luciani, G.; Ambrosio, L.: Improvement of swelling properties of poly(2-hydroxyethyl methacrylate) hydrogel by means of biomimetic method, 79
Bruno, M. J. See Beatty, M. W., 25
Burg, K. See Loebsack, A., 575
Burian, B. See Kraft, C. N., 404
Burke, E. M.
—; Haman, J. D.; Weimer, J. J.; Cheney, A. B.; Rigsbee, J. M.; Lucas, L. C.: Influence of coating strain on calcium phosphate thin-film dissolution, 41
Burmaster, S. See Yourtee, D. M., 522

Calonius, O. See Saikko, V., 506
Campbell, L. See Adams, A. K., 582
Cannon, J. M. See Yourtee, D. M., 522
Castner, D. G. See Lhoest, J.-B., 432
Caterson, E. J.
—; Nesti, L. J.; Li, W.-J.; Danielson, K. G.; Albert, T. J.; Vaccaro, A. R.; Tuan, R. S.: Three-dimensional cartilage formation by bone marrow-derived cells seeded in polylactide/alginate amalgam, 394
Chambers, D. E. See Liu, Q., 384
Chang, P.-L. See Kilpadi, K. L., 258
Chang, W. H. See Sun, J.-S., 449
Chen, E. See Eid, K., 224
Chen, G.
—; Ushida, T.; Tateishi, T.: Poly(DL-lactic-*co*-glycolic acid) sponge hybridized with collagen microsponges and deposited apatite particulates, 8
Chen, L.-T. See Sun, J.-S., 449
Chen, T.-H. See Chen, Y.-S., 541
Chen, Y.-L. See Shih, C.-C., 200
Chen, Y.-S.
—; Hu, C.-L.; Hsieh, C.-L.; Lin, J.-G.; Tsai, C.-C.; Chen, T.-H.; Yao, C.-H.: Effects of percutaneous electrical stimulation on peripheral nerve regeneration using silicone rubber chambers, 541
Cheney, A. B. See Burke, E. M., 41
Chittur, K. See Xie, J., 357
Chow, L. C. See Xu, H. H., 457
Claes, L. E. See Ignatius, A. A., 126
Clarke, S. A.
—; Revell, P. A.: Integrin expression at the bone/biomaterial interface, 84
Clupper, D. C.
—; Mecholsky, J. J., Jr.; LaTorre, G. P.; Greenspan, D. C.: Sintering temperature effects on the *in vitro* bioactive response of tape cast and sintered bioactive glass-ceramic in Tris buffer, 532
Clèries, L.
—; Fernández-Pradas, J. M.; Morenza, J. L.: Bone growth on and resorption of calcium phosphate coatings obtained by pulsed laser deposition, 473
Coreño, J.
—; Martínez, A.; Bolarín, A.; Sánchez, F.: Apatite nucleation on silica surface: A ζ potential approach, 119
Costantini, A. See Branda, F., 79
Crum, L. A. See Kwok, C. S., 151
Culberson, C. See Loebsack, A., 575

Journal of Biomedical Materials Research
Author Index—Volume 57

Adams, A. K.
—; Talman, E. A.; Campbell, L.; McIlroy, B. K.; Moore, M. A.: Crosslink formation in porcine valves stabilized by dye-mediated photooxidation, 582
Adrey, J. See Fiorito, S., 35
Akin, F. A.
—; Zreiqat, H.; Jordan, S.; Wijesundara, M. B.; Hanley, L.: Preparation and analysis of macroporous TiO_2 films on Ti surfaces for bone–tissue implants, 588
Albert, T. J. See Caterson, E. J., 394
Almeida, M. J.
—; Pereira, L.; Milet, C.; Haigle, J.; Barbosa, M.; Lopez, E.: Comparative effects of nacre water-soluble matrix and dexamethasone on the alkaline phosphatase activity of MRC-5 fibroblasts, 306
Ambrosio, L. See Branda, F., 79
Andersson, A. See King, A., 374
Anseth, K. S. See Nuttelman, C. R., 217
Askendal, A. See Tengvall, P., 285
Augat, P. See Ignatius, A. A., 126
Aughenbaugh, W.
—; Radin, S.; Ducheyne, P.: Silica sol-gel for the controlled release of antibiotics. II. The effect of synthesis parameters on the *in vitro* release kinetics of vancomycin, 321
Austin, C. See Loebsack, A., 575
Aversa, P. See Milella, E., 248

Baptiste, D. See Miralles, G., 268
Baran, G. R. See Liu, Q., 384
Barbosa, M. See Almeida, M. J., 306
Barra, G. See Milella, E., 248
Baudoin, R. See Miralles, G., 268
Beatty, M. W.
—; Bruno, M. J.; Iwasaki, L. R.; Nickel, J. C.: Strain rate dependent orthotropic properties of pristine and impulsively loaded porcine temporomandibular joint disk, 25
Beiler, R. See Loebsack, A., 575
Bellis, S. L. See Kilpadi, K. L., 258
Bengtsson, T. See Wetterö, J., 550
Bernier, P. See Fiorito, S., 35
Bhardwaj, T.
—; Pilliar, R. M.; Grynpas, M. D.; Kandel, R. A.: Effect of material geometry on cartilagenous tissue formation *in vitro*, 190
Bhonde, M. R. See Risbud, M. V., 300
Bhonde, R. R. See Risbud, M. V., 300
Bolarín, A. See Coreño, J., 119
Bowen-Pope, D. F. See Goessl, A., 15
Branda, F.
—; Costantini, A.; Luciani, G.; Ambrosio, L.: Improvement of swelling properties of poly(2-hydroxyethyl methacrylate) hydrogel by means of biomimetic method, 79
Bruno, M. J. See Beatty, M. W., 25
Burg, K. See Loebsack, A., 575
Burian, B. See Kraft, C. N., 404
Burke, E. M.
—; Haman, J. D.; Weimer, J. J.; Cheney, A. B.; Rigsbee, J. M.; Lucas, L. C.: Influence of coating strain on calcium phosphate thin-film dissolution, 41
Burmaster, S. See Yourtee, D. M., 522

Calonius, O. See Saikko, V., 506
Campbell, L. See Adams, A. K., 582
Cannon, J. M. See Yourtee, D. M., 522
Castner, D. G. See Lhoest, J.-B., 432
Caterson, E. J.
—; Nesti, L. J.; Li, W.-J.; Danielson, K. G.; Albert, T. J.; Vaccaro, A. R.; Tuan, R. S.: Three-dimensional cartilage formation by bone marrow-derived cells seeded in polylactide/alginate amalgam, 394
Chambers, D. E. See Liu, Q., 384
Chang, P.-L. See Kilpadi, K. L., 258
Chang, W. H. See Sun, J.-S., 449
Chen, E. See Eid, K., 224
Chen, G.
—; Ushida, T.; Tateishi, T.: Poly(DL-lactic-*co*-glycolic acid) sponge hybridized with collagen microsponges and deposited apatite particulates, 8
Chen, L.-T. See Sun, J.-S., 449
Chen, T.-H. See Chen, Y.-S., 541
Chen, Y.-L. See Shih, C.-C., 200
Chen, Y.-S.
—; Hu, C.-L.; Hsieh, C.-L.; Lin, J.-G.; Tsai, C.-C.; Chen, T.-H.; Yao, C.-H.: Effects of percutaneous electrical stimulation on peripheral nerve regeneration using silicone rubber chambers, 541
Cheney, A. B. See Burke, E. M., 41
Chittur, K. See Xie, J., 357
Chow, L. C. See Xu, H. H., 457
Claes, L. E. See Ignatius, A. A., 126
Clarke, S. A.
—; Revell, P. A.: Integrin expression at the bone/biomaterial interface, 84
Clupper, D. C.
—; Mecholsky, J. J., Jr.; LaTorre, G. P.; Greenspan, D. C.: Sintering temperature effects on the *in vitro* bioactive response of tape cast and sintered bioactive glass-ceramic in Tris buffer, 532
Clèries, L.
—; Fernández-Pradas, J. M.; Morenza, J. L.: Bone growth on and resorption of calcium phosphate coatings obtained by pulsed laser deposition, 473
Coreño, J.
—; Martínez, A.; Bolarín, A.; Sánchez, F.: Apatite nucleation on silica surface: A ζ potential approach, 119
Costantini, A. See Branda, F., 79
Crum, L. A. See Kwok, C. S., 151
Culberson, C. See Loebsack, A., 575

Dadsetan, M.
—; Mirzadeh, H.; Sharifi-Sanjani, N.; Daliri, M.: Cell behavior on laser surface-modified polyethylene terephthalate *in vitro*, 183
Daliri, M. See Dadsetan, M., 183
Danielson, K. G. See Caterson, E. J., 394
Dao, L. H. See Zhang, Z., 63
de Bruijn, J. See Liu, Y., 327
de Groot, K. See Liu, Y., 327
De Maeyer, E. A. P.
—; Verbeeck, R. M. H.: X-ray diffractometric determination of crystalline phase content in bioactive glasses, 467
Debnath, S. See Liu, Q., 384
Dellacherie, E. See Miralles, G., 268
Diedrich, O. See Kraft, C. N., 404
Ding, J. See Liu, Q., 384
Dong, J.
—; Kojima, H.; Uemura, T.; Kikuchi, M.; Tateishi, T.; Tanaka, J.: *In vivo* evaluation of a novel porous hydroxyapatite to sustain osteogenesis of transplanted bone marrow-derived osteoblastic cells, 208
Downes, S. See Gough, J. E., 497
Ducheyne, P. See Aughenbaugh, W., 321
Ducheyne, P. See Radin, S., 313
Dugré, F. J. See Zhang, Z., 63
Dumas, D. See Miralles, G., 268
Dyulgerova, E. I. See Varadinova, T. L., 232

Eichmiller, F. C. See Xu, H. H., 457
Eick, J. D. See Yourtee, D. M., 522
Eid, K.
—; Chen, E.; Griffith, L.; Glowacki, J.: Effect of RGD coating on osteocompatibility of PLGA-polymer disks in a rat tibial wound, 224
Eiselt, P. See Loebsack, A., 575
Elvira, C. See Ginebra, M. P., 113

Fernández, E. See Ginebra, M. P., 113
Fernández-Pradas, J. M. See Clèries, L., 473
Fertala, A.
—; Han, W. B.; Ko, F. K.: Mapping critical sites in collagen II for rational design of gene-engineered proteins for cell-supporting materials, 48
Fiedler, J. See Mayr-Wohlfart, U., 132
Fiorito, S.
—; Goze, C.; Adrey, J.; Magrini, L.; Goalard, C.; Bernier, P.: Increase in free radicals on UHMWPE hip prostheses components due to inflamed synovial cell products, 35
Fischer, H.
—; Wirtz, D. C.; Weber, M.; Neuss, M.; Niethard, F. U.; Marx, R.: Improvement of the long-term adhesive strength between metal stem and polymethylmethacrylate bone cement by a silica/silane interlayer system, 413

Gao, T.
—; Uludag, H.: Effect of molecular weight of thermoreversible polymer on *in vivo* retention of rhBMP-2, 92
Ginebra, M. P.
—; Rilliard, A.; Fernández, E.; Elvira, C.; San Román, J.; Planell, J. A.: Mechanical and rheological improvement of a calcium phosphate cement by the addition of a polymeric drug, 113
Glowacki, J. See Eid, K., 224
Goalard, C. See Fiorito, S., 35
Goessl, A.
—; Bowen-Pope, D. F.; Hoffman, A. S.: Control of shape and size of vascular smooth muscle cells *in vitro* by plasma lithography, 15
Gold, J. See Hallgren, C., 485
Gough, J. E.
—; Downes, S.: Osteoblast cell death on methacrylate polymers involves apoptosis, 497
Goze, C. See Fiorito, S., 35
Greene, K. See Loebsack, A., 575
Greenspan, D. C. See Clupper, D. C., 532
Griffith, L. See Eid, K., 224
Grynpas, M. D. See Bhardwaj, T., 190
Günther, K.-P. See Mayr-Wohlfart, U., 132

Haigle, J. See Almeida, M. J., 306
Halberstadt, C. See Loebsack, A., 575
Hallgren, C.
—; Reimers, H.; Gold, J.; Wennerberg, A.: The importance of surface texture for bone integration of screw shaped implants: An *in vivo* study of implants patterned by photolithography, 485
Haman, J. D. See Burke, E. M., 41
Han, W. B. See Fertala, A., 48
Hanley, L. See Akin, F. A., 588
Henry, S. M. See Nuttelman, C. R., 217
Hoffman, A. S. See Goessl, A., 15
Holder, W. See Loebsack, A., 575
Hong, R.-C. See Sun, J.-S., 449
Horbett, T. A. See Shen, M., 336
Hrustic, E. See Nygren, H., 238
Hsieh, C.-L. See Chen, Y.-S., 541
Hu, C.-L. See Chen, Y.-S., 541
Hubert, P. See Miralles, G., 268
Hulbert, S. F.
—; The teaching of biomaterials, 475

Ignatius, A. A.
—; Wolf, S.; Augat, P.; Claes, L. E.: Composites made of rapidly resorbable ceramics and poly(lactide) show adequate mechanical properties for use as bone substitute materials, 126
Ikada, Y. See Kawai, K., 346
Ishihara, K. See Iwasaki, Y., 72
Iwasaki, L. R. See Beatty, M. W., 25
Iwasaki, Y.
—; Nakabayashi, N.; Ishihara, K.: Preservation of platelet function on 2-methacryloyloxyethyl phosphorylcholine–graft polymer as compared to various water-soluble graft polymers, 72

Ji-Youn, K. See Nakayama, Y., 559
Jiang, J. C. See Nie, X., 612
Jordan, S. See Akin, F. A., 588

Kagayama, M. See Kamakura, S., 175
Kamakura, S.
—; Sasano, Y.; Nakajo, S.; Shimizu, T.; Suzuki, O.; Katou, F.; Kagayama, M.; Motegi, K.: Implantation of octacalcium phosphate combined with transforming growth factor-β_1 enhances bone repair as well as resorption of the implant in rat skull defects, 175
Kamplain, T. See Radin, S., 313
Kandel, R. A. See Bhardwaj, T., 190
Kaplan, S. S.
—; Simmons, R. L.: Effect of plasma and matrix proteins on defensin-induced impairment of phagocytic killing by adherent neutrophils, 1
Karlsson, C. See Nygren, H., 238
Kato, H.
—; Neo, M.; Tamura, J.; Nakamura, T.: Bone bonding in bioactive glass ceramics combined with a new synthesized agent TAK-778, 291

Katou, F. See Kamakura, S., 175
Katsura, M. See Ohgaki, M., 366
Kawai, K.
—; Suzuki, S.; Tabata, Y.; Taira, T.; Ikada, Y.; Nishimura, Y.: Development of an artificial dermis preparation capable of silver sulfadiazine release, 346
Keränen, J. See Saikko, V., 506
Kessler, S. See Mayr-Wohlfart, U., 132
Kikuchi, M. See Dong, J., 208
Kilpadi, K. L.
—; Chang, P.-L.; Bellis, S. L.: Hydroxylapatite binds more serum proteins, purified integrins, and osteoblast precursor cells than titanium or steel, 258
Kim, H.-M. See Takadama, H., 441
King, A.
—; Sandler, S.; Andersson, A.: The effect of host factors and capsule composition on the cellular overgrowth on implanted alginate capsules, 374
Kizuki, T. See Ohgaki, M., 366
Klitzman, B. See Wisniewski, N., 513
Ko, F. K. See Fertala, A., 48
Kobayashi, M. See Okada, Y., 101
Kobayashi, T.
—; Nakamura, S.; Yamashita, K.: Enhanced osteobonding by negative surface charges of electrically polarized hydroxyapatite, 477
Kojima, H. See Dong, J., 208
Kokubo, T. See Okada, Y., 101
Kokubo, T. See Takadama, H., 441
Kostoryz, E. L. See Yourtee, D. M., 522
Kottke-Marchant, K. See Sagnella, S., 419
Kraft, C. N.
—; Burian, B.; Perlick, L.; Wimmer, M. A.; Wallny, T.; Schmitt, O.; Diedrich, O.: Impact of a nickel-reduced stainless steel implant on striated muscle microcirculation: A comparative *in vivo* study, 404
Kwok, C.-F. See Shih, C.-C., 200
Kwok, C. S.
—; Mourad, P. D.; Crum, L. A.; Ratner, B. D.: Self-assembled molecular structures as ultrasonically-responsive barrier membranes for pulsatile drug delivery, 151
Kwok, J. See Sagnella, S., 419

LaTorre, G. P. See Clupper, D. C., 532
Labow, R. S. See Tang, Y. W., 597
Layrolle, P. See Liu, Y., 327
Leo, G. See Milella, E., 248
Leyland, A. See Nie, X., 612
Lhoest, J.-B.
—; Wagner, M. S.; Tidwell, C. D.; Castner, D. G.: Characterization of adsorbed protein films by time of flight secondary ion mass spectrometry, 432
Li, J. See Yuan, X.; 140
Li, W.-J. See Caterson, E. J., 394
Lin, F.-H. See Sun, J.-S., 449
Lin, J.-G. See Chen, Y.-S., 541
Lin, S.-J. See Shih, C.-C., 200
Liu, H.-C. See Sun, J.-S., 449
Liu, Q.
—; Ding, J.; Chambers, D. E.; Debnath, S.; Wunder, S. L.; Baran, G. R.: Filler-coupling agent-matrix interactions in silica/polymethylmethacrylate composites, 384
Liu, Y.
—; Layrolle, P.; de Bruijn, J.; van Blitterswijk, C.; de Groot, K.: Biomimetic coprecipitation of calcium phosphate and bovine serum albumin on titanium alloy, 327
Loebsack, A.
—; Greene, K.; Wyatt, S.; Culberson, C.; Austin, C.; Beiler, R.; Roland, W.; Eiselt, P.; Rowley, J.; Burg, K.; Mooney, D.; Holder, W.; Halberstadt, C.: *In vivo* characterization of a porous hydrogel material for use as a tissue bulking agent, 575
Lopez, E. See Almeida, M. J., 306
Lucas, L. C. See Burke, E. M., 41
Luciani, G. See Branda, F., 79

Magrini, L. See Fiorito, S., 35
Mainard, D. See Miralles, G., 268
Mak, A. F. See Yuan, X.; 140
Marchant, R. E. See Sagnella, S., 419
Martínez, A. See Coreño, J., 119
Marx, R. See Fischer, H., 413
Matsuda, T. See Nakayama, Y., 559
Matthews, A. See Nie, X., 612
Mayr-Wohlfart, U.
—; Fiedler, J.; Günther, K.-P.; Puhl, W.; Kessler, S.: Proliferation and differentiation rates of a human osteoblast-like cell line (SaOS-2) in contact with different bone substitute materials, 132
McIlroy, B. K. See Adams, A. K., 582
Mecholsky, J. J., Jr., See Clupper, D. C., 532
Meldrum, R. D.
—; Erroneous aluminum and cobalt tissue concentrations from using formalin, 59
Meletis, E. I. See Nie, X., 612
Milella, E.
—; Barra, G.; Ramires, P. A.; Leo, G.; Aversa, P.; Romito, A.: Poly(L-lactide)acid/alginate composite membranes for guided tissue regeneration, 248
Milet, C. See Almeida, M. J., 306
Miller, B. See Wisniewski, N., 513
Miralles, G.
—; Baudoin, R.; Dumas, D.; Baptiste, D.; Hubert, P.; Stoltz, J. F.; Dellacherie, E.; Mainard, D.; Netter, P.; Payan, E.: Sodium alginate sponges with or without sodium hyaluronate: *In vitro* engineering of cartilage, 268
Mirzadeh, H. See Dadsetan, M., 183
Mooney, D. See Loebsack, A., 575
Moore, M. A. See Adams, A. K., 582
Morenza, J. L. See Clèries, L., 473
Mortisen, D. J. See Nuttelman, C. R., 217
Motegi, K. See Kamakura, S., 175
Mourad, P. D. See Kwok, C. S., 151

Nakabayashi, N. See Iwasaki, Y., 72
Nakajo, S. See Kamakura, S., 175
Nakamura, A. See Nakaoka, R., 279
Nakamura, A. See Nakaoka, R., 567
Nakamura, S. See Kobayashi, T., 477
Nakamura, T. See Kato, H., 291
Nakamura, T. See Okada, Y., 101
Nakamura, T. See Takadama, H., 441
Nakaoka, R.
—; Tsuchiya, T.; Nakamura, A.: The inhibitory mechanism of gap junctional intercellular communication induced by polyethylene and the restorative effects by surface modification with various proteins, 567
Nakaoka, R.
—; Tsuchiya, T.; Sakaguchi, K.; Nakamura, A.: Studies on *in vitro* evaluation for the biocompatibility of various biomaterials: Inhibitory activity of various kinds of polymer microspheres on metabolic cooperation, 279
Nakayama, Y.
—; Ji-Youn, K.; Nishi, S.; Ueno, H.; Matsuda, T.: Development of high-performance stent: gelatinous photogel-coated stent that permits drug delivery and gene transfer, 559

Neo, M. See Kato, H., 291
Neo, M. See Okada, Y., 101
Nesti, L. J. See Caterson, E. J., 394
Netter, P. See Miralles, G., 268
Neuss, M. See Fischer, H., 413
Nickel, J. C. See Beatty, M. W., 25
Nie, X.
—; Leyland, A.; Matthews, A.; Jiang, J.; Meletis, E.: Effects of solution pH and electrical parameters on hydroxyapatite coatings deposited by a plasma-assisted electrophoresis technique, 612
Niethard, F. U. See Fischer, H., 413
Nishi, S. See Nakayama, Y., 559
Nishimura, Y. See Kawai, K., 346
Nuttelman, C. R.
—; Mortisen, D. J.; Henry, S. M.; Anseth, K. S.: Attachment of fibronectin to poly(vinyl alcohol) hydrogels promotes NIH3T3 cell adhesion, proliferation, and migration, 217
Nygren, H.
—; Hrustic, E.; Karlsson, C.; Öster, L.: Respiratory burst response of peritoneal leukocytes adhering to titanium and stainless steel, 238

Ohgaki, M.
—; Kizuki, T.; Katsura, M.; Yamashita, K.: Manipulation of selective cell adhesion and growth by surface charges of electrically polarized hydroxyapatite, 366
Okada, Y.
—; Kobayashi, M.; Neo, M.; Kokubo, T.; Nakamura, T.: Ultrastructure of the interface between bioactive composite and bone: Comparison of apatite and wollastonite containing glass–ceramic filler with hydroxyapatite and β-tricalcium phosphate fillers, 101
Öster, L. See Nygren, H., 238

Payan, E. See Miralles, G., 268
Pereira, L. See Almeida, M. J., 306
Perlick, L. See Kraft, C. N., 404
Pharr, G. M. See Swadener, J. G., 108
Pilliar, R. M. See Bhardwaj, T., 190
Planell, J. A. See Ginebra, M. P., 113
Puhl, W. See Mayr-Wohlfart, U., 132

Qu, X.
—; Weinberger, J.: Encapsulation of isotope on novel β-emitting poly(ethylene terephthalate) surfaces, 619
Quinn, J. B. See Xu, H. H., 165
Quinn, J. B. See Xu, H. H., 457

Radin, S. See Aughenbaugh, W., 321
Radin, S.
—; Ducheyne, P.; Kamplain, T.; Tan, B. H.: Silica sol-gel for the controlled release of antibiotics. I. Synthesis, characterization, and *in vitro* release, 313
Ramires, P. A. See Milella, E., 248
Ratner, B. D. See Kwok, C. S., 151
Reichert, W. M. See Wisniewski, N., 513
Reimers, H. See Hallgren, C., 485
Revell, P. A. See Clarke, S. A., 84
Rho, J.-Y. See Swadener, J. G., 108
Rigsbee, J. M. See Burke, E. M., 41
Riley, C. See Xie, J., 357
Rilliard, A. See Ginebra, M. P., 113
Risbud, M. V.
—; Bhonde, M. R.; Bhonde, R. R.: Effect of chitosan-polyvinyl pyrrolidone hydrogel on proliferation and cytokine expression of endothelial cells: Implications in islet immunoisolation, 300
Roland, W. See Loebsack, A., 575
Romito, A. See Milella, E., 248
Rowley, J. See Loebsack, A., 575
Roy, R. See Zhang, Z., 63
Russo, K. A. See Yourtee, D. M., 522

Sagnella, S.
—; Kwok, J.; Marchant, R. E.; Kottke-Marchant, K.: Shear-induced platelet activation and adhesion on human pulmonary artery endothelial cells seeded onto hydrophilic polymers, 419
Saikko, V.
—; Calonius, O.; Keränen, J.: Effect of counterface roughness on the wear of conventional and crosslinked ultrahigh molecular weight polyethylene studied with a multi-directional motion pin-on-disk device, 506
Sakaguchi, K. See Nakaoka, R., 279
San Román, J. See Ginebra, M. P., 113
Sánchez, F. See Coreño, J., 119
Sandler, S. See King, A., 374
Santerre, J. P. See Tang, Y. W., 597
Sasano, Y. See Kamakura, S., 175
Schmitt, O. See Kraft, C. N., 404
Sharifi-Sanjani, N. See Dadsetan, M., 183
Shen, M.
—; Horbett, T. A.: The effects of surface chemistry and adsorbed proteins on monocyte/macrophage adhesion to chemically modified polystyrene surfaces, 336
Shih, C.-C.
—; Shih, C.-M.; Chen, Y.-L.; Su, Y.-Y.; Shih, J.-S.; Kwok, C.-F.; Lin, S.-J.: Growth inhibition of cultured smooth muscle cells by corrosion products of 316 L stainless steel wire, 200
Shih, C.-M. See Shih, C.-C., 200
Shih, J.-S. See Shih, C.-C., 200
Shimizu, T. See Kamakura, S., 175
Simmons, R. L. See Kaplan, S. S., 1
Smith, R. E. See Yourtee, D. M., 522
Stoltz, J. F. See Miralles, G., 268
Su, Y.-Y. See Shih, C.-C., 200
Sun, J.-S.
—; Hong, R.-C.; Chang, W. H.; Chen, L.-T.; Lin, F.-H.; Liu, H.-C.: *In vitro* effects of low-intensity ultrasound stimulation on the bone cells, 449
Suzuki, O. See Kamakura, S., 175
Suzuki, S. See Kawai, K., 346
Swadener, J. G.
—; Rho, J.-Y.; Pharr, G. M.: Effects of anisotropy on elastic moduli measured by nanoindentation in human tibial cortical bone, 108

Tabata, Y. See Kawai, K., 346
Taira, T. See Kawai, K., 346
Takadama, H.
—; Kim, H.-M.; Kokubo, T.; Nakamura, T.: TEM-EDX study of mechanism of bonelike apatite formation on bioactive titanium metal in simulated body fluid, 441
Takagi, S. See Xu, H. H., 457
Talman, E. A. See Adams, A. K., 582
Tamura, J. See Kato, H., 291
Tan, B. H. See Radin, S., 313
Tanaka, J. See Dong, J., 208
Tang, Y. W.
—; Labow, R. S.; Santerre, J. P.: Enzyme-induced biodegradation of polycarbonate-polyurethanes: Dependence on hard-segment chemistry, 597
Tateishi, T. See Chen, G., 8
Tateishi, T. See Dong, J., 208
Tengvall, P. See Wetterö, J., 550
Tengvall, P.
—; Askendal, A.: Ellipsometric *in vitro* studies on blood plasma and serum adsorption to zirconium, 285

Tessier, D. See Zhang, Z., 63
Tidwell, C. D. See Lhoest, J.-B., 432
Tsai, C.-C. See Chen, Y.-S., 541
Tsuchiya, T. See Nakaoka, R., 279
Tsuchiya, T. See Nakaoka, R., 567
Tuan, R. S. See Caterson, E. J., 394

Uemura, T. See Dong, J., 208
Ueno, H. See Nakayama, Y., 559
Uludag, H. See Gao, T., 92
Ushida, T. See Chen, G., 8

Vaccaro, A. R. See Caterson, E. J., 394
van Blitterswijk, C. See Liu, Y., 327
Varadinova, T. L.
—; Zlateva, K. T.; Dyulgerova, E. I.: Cell response to herpes simplex virus type 1 infection mediated by biphasic calcium-phosphate ceramics: *In vitro* approach, 232
Verbeeck, R. M. H. See De Maeyer, E. A. P., 467

Wagner, M. S. See Lhoest, J.-B., 432
Wallny, T. See Kraft, C. N., 404
Weber, M. See Fischer, H., 413
Weimer, J. J. See Burke, E. M., 41
Weinberger, J. See Qu, X., 619
Wennerberg, A. See Hallgren, C., 485
Wetterö, J.
—; Bengtsson, T.; Tengvall, P.: C1q-independent activation of neutrophils by immunoglobulin M-coated surfaces, 550
Wijesundara, M. B. See Akin, F. A., 588
Wimmer, M. A. See Kraft, C. N., 404
Wirtz, D. C. See Fischer, H., 413
Wisniewski, N.
—; Klitzman, B.; Miller, B.; Reichert, W. M.: Decreased analyte transport through implanted membranes: Differentiation of biofouling from tissue effects, 513
Wolf, S. See Ignatius, A. A., 126
Wunder, S. L. See Liu, Q., 384
Wyatt, S. See Loebsack, A., 575

Xie, J.
—; Riley, C.; Chittur, K.: Effect of albumin on brushite transformation to hydroxyapatite, 357
Xu, H. H.
—; Quinn, J. B.: Whisker-reinforced bioactive composites containing calcium phosphate cement fillers: Effects of filler ratio and surface treatments on mechanical properties, 165
Xu, H. H. K.
—; Quinn, J. B.; Takagi, S.; Chow, L. C.; Eichmiller, F. C.: Strong and macroporous calcium phosphate cement: Effects of porosity and fiber reinforcement on mechanical properties, 457

Yamashita, K. See Kobayashi, T., 477
Yamashita, K. See Ohgaki, M., 366
Yao, C.-H. See Chen, Y.-S., 541
Yourtee, D. M.
—; Smith, R. E.; Russo, K. A.; Burmaster, S.; Cannon, J. M.; Eick, J. D.; Kostoryz, E. L.: The stability of methacrylate biomaterials when enzyme challenged: Kinetic and systematic evaluations, 522
Yuan, X.
—; Mak, A. F.; Li, J.: Formation of bone-like apatite on poly(L-lactic acid) fibers by a biomimetic process, 140

Zhang, Z.
—; Roy, R.; Dugré, F. J.; Tessier, D.; Dao, L. H.: *In vitro* biocompatibility study of electrically conductive polypyrrole-coated polyester fabrics, 63
Zlateva, K. T. See Varadinova, T. L., 232
Zreiqat, H. See Akin, F. A., 588

Journal of Biomedical Materials Research
Subject Index—Volume 57

Actin cytoskeleton, 550
Adsorption, 384
AFM, 41
Alginate, 268, 374, 394, 575
Alkaline phosphatase, 306
Aluminum, 59
Animal model, 575
Anisotropy, 108
Antibacterial activity, 346
Antibiotics, 313
Apatite, 8, 119, 441
Apatite and wollastonite containing glass–ceramic, 101
Apoptosis, 497
Artificial dermis, 346
Aseptic loosening, 84
Axon density, 541

β-tricalcium phosphate, 101
Barrier membranes, 248
Bioactive composite, 165
Bioactive glass ceramic, 467
Bioactive glass ceramics, 291
Bioactive glass-ceramic, 532
Bioactivity, 441, 532
Biochemical analysis, 208
Biocompatibility, 63, 183, 238, 374, 404, 513, 522
Biodegradation, 597
Biodurability, 522
Biofouling, 513
Biomaterial hydrolysis, 522
Biomaterials, 1, 63, 132, 513
Biomimetic calcium phosphate coating, 327
Biomimetic method, 79
Biomimetic process, 140
Bioprosthesis, 582
Bioresorbable polymers, 394
Biosensor membranes, 513
Biphasic calcium-phosphate ceramics (BCPC), 232
Bisphenol-*a*-glycidyl dimethacrylate-based resin, 101
Blood compatibility, 72
Blood vessel, 541
BMP-2, 306
Bone bonding, 291
Bone defect, 175
Bone defects, 248
Bone formation, 477
Bone repair, 175
Bone substitute materials, 126
Bone substitute, 113
Bone tissue engineering, 8
Bone–tissue implants, 588
Bonelike apatite, 140
Brachytherapy, 619
Brushite, 357

Calcium adsorption, 119
Calcium phosphate cement, 113, 165, 457
Calcium phosphate coatings, 41
Cartilage, 25, 48, 268
Cell adhesion, 258, 366
Cell behavior, 183
Cell size/shape-control, 15
Chitosan, 300, 619
Chondrocytes, 190, 268
Chondrogenesis, 394
CO_2 and KrF laser, 183
Coating, 559
Cobalt, 59
Collagen, 8
Complement, 285
Complement activation, 550
Composites, 384
Concentrations, 59
Confocal microscopy, 575
Connexin 43, 567
Controlled release, 313, 321
Corrosion, 200
Cortical bone, 108
Crosslink, 582
Crosslinking, 506
Crystalline inclusion, 467
Cytokines, 300, 374, 449
Cytotoxicity, 200

Degranulation, 1
Dental resins, 522
Dexamethasone, 306
Differentiation, 32
Dissolution, 41
Drug delivery, 113, 151, 313, 321, 559

Elastic modulus, 25, 108
Electric polarization, 477
Electrical stimulation, 541
Ellipsometry, 285
Endothelial cell, 419
Endothelium, 300
Enzymes, 597
Esterase, 597
Esterases, 522

Fiber, 140
Fiber-reinforcement mechanisms, 457
Fibrinogen, 336
Fibroblasts, 183
Fibronectin, 217
Fibronectin/vitronectin, 258
Flow cytometry, 419
Fluorescence redistribution, 567
Fracture resistance, 457
Free radicals, 35
Full-thickness skin defect, 346
Fumed silica, 384

Gap junctional intercellular communication, 279, 567
Gel microstructure, 92
Gene transfer, 559
Glass ionomer cements, 467
Guided tissue regeneration, 248

Hard segments, 597
Herpes simplex virus type 1 (HSV-1), 232
Hip prostheses, 35
Histological analysis, 208
Human neutrophil peptide, 1
Hyaluronic acid, 268
Hydrogel, 217, 575
Hydrogen bonding, 597
Hydroxyapatite, 101, 165, 357, 366, 457, 477, 532, 612
Hydroxylapatite, 258

Immunoglobulins, 550
Implants, 485
Impulse loading, 25

In vitro, 313, 321
In vitro degradation, 126
In vivo retention, 92
Injectability, 113
Insulin, 151
Integrins, 84, 258
Interface, 84, 384
Intracoronary radiation, 619
Ion, 59

316 L stainless steel, 200
Leukocyte adhesion, 238
Long-term adhesive strength, 413

Macropores, 457
Macroporous TiO_2 films, 588
Manipulation, 366
Marrow stromal cells, 394
Material geometry, 190
MDBK cells, 232
Mechanical properties, 113, 126
Metabolic cooperation assay, 279
Methacrylate, 497, 522
Methacryloxypropyltrimethoxysilane, 384
2-methacyloyloxyethyl phosphorylcholine, 72
Microcirculation, 404
Microdialysis, 513
Microencapsulation, 374
Micropattern, 485
Microsphere materials, 279
Microsphere size, 279
Modulus, 165
Molecular weight, 92
Monocyte adhesion, 336
Monomer leaching, 522
Monomer, 497
MRC-5 fibroblasts, 306

Nacre, 306
Nanocrystalline coatings, 612
Nanofiber, 48
Nanoindentation, 108
Necrosis, 497
Negatively charged surfaces, 477
Nerve regeneration, 541
Neutrophil respiratory burst, 550
Nickel, 200, 404

Octacalcium phosphate, 175
Osteoblast, 208
Osteoblast-like cells, 132
Osteoblasts, 449, 497
Osteobonding, 477
Osteoclasts, 449
Osteocompatibility, 224
Osteogenesis, 291
Osteoinduction, 291
Osteomyelitis, 321
Osteosynthesis materials, 404

PET, 619
Phagocytic killing, 1
Phase structure, 597
Photogelation, 559
Photoinduced polymerization, 72
Photolithography, 485
Photooxidation, 582
Plasma, 285
Plasma polymer, 419
Plasma proteins, 1
Plasma-assisted electrophoretic deposition, 612
Plasma-lithography, 15
Platelet activation, 72, 419
Platelet adhesion, 419
Platelet aggregation, 72
PLGA-copolymer, 224
Polarization, 366
Poly(2-hydroxyethyl methacrylate), 79
Poly(DL-lactic-*co*-glycolic acid), 8
Poly(L-lactic acid), 140
Poly(lactide), 126
Poly(vinyl alcohol), 217
Polyester, 63
Polyethylene, 35, 567
Polyethylene terephthalate, 183
Polymer microspheres, 279
Polymer scaffold, 217
Polymeric surfaces, 151
Polymethylmethacrylate, 384, 413
Polypyrrole, 63
Polystyrene, 336
Polyurethane, 619
Polyurethanes, 597
Polyvinyl pyrrolidone, 300
Porcine valve, 582
Pore size, 190
Porous hydroxyapatite, 208
Principal component analysis, 432
Proliferation, 132, 300
Prostaglandin, 449
Protein, 327
Protein adsorption, 285, 336, 357, 432, 550
RT-PCR, 132
Rat, 175, 224
Recombinant collagen, 48
Recombinant human bone morphogenetic protein-2, 92
Reinforcement, 165
Release, 327
Resistance, 232
Respiratory burst, 238
Reverse transcription-polymerase chain reaction (RT-PCR), 300
RF sputtering, 41
RGD peptides, 575
RGD, 224
Rodent, 575

Self-assembled molecular structures, 151
Shear, 419
Silane, 384, 413
Silica, 413
Silica gel, 119
Silicone rubber, 541
Silver sulfadiazine, 346
Simulated body fluid, 119, 441
Smooth muscle cell, 200
Smooth muscle cell culture, 15
Soft-tissue engineering, 575
Sol-gel, 321
Sol-gels, 313
Sponge, 268
Stainless steel, 238, 404
Standard addition, 467
Stents, 559
Strength, 165, 457, 532
Surface analysis, 15, 336
Surface characterization, 151
Surface charge, 366
Surface coating, 619
Surface modification, 63, 151, 567
Surface roughness, 485, 506
Surface waviness, 485
Surface-patterning, 15
Surgical implantation, 575
Sustained release, 346
Swelling, 79

TAK-778, 291
Tape casting, 532
TEM, 612
Temporomandibular joint disk, 25
Tensile strength, 25
Thermogravimetric analysis, 79
Thermoreversible polymers, 92
Thin film-polymerization, 15
Three-dimensional braid, 140
Three-dimensional porous scaffold, 8
Thromboresistance, 419
Thrombosis, 419
Ti surfaces, 588
Ti6Al4V substrates, 190
Tibial wound, 224
Tissue, 59
Tissue culture, 132
Tissue engineering, 48, 190, 208, 217, 366, 394
Titanium, 238, 258
Titanium alloy (Ti6Al4V), 327
Titanium alloys, 612
Titanium metal, 441
ToF-SIMS, 432
Total hip prosthesis, 506
Transformation and dissolution studies of calcium phosphates, 357
Transforming growth factor-β_1, 175
Transmigration, 84
Transmission electron microscopy, 101

Transmission electron microscopy–energy dispersive X-ray spectrometry (TEM-EDX), 441
Transplantation, 374
Transport, 513
Tricalcium phosphate, 126

Ultrahigh molecular weight polyethylene, 506
Ultrasonic velocity, 108
Ultrasound, 151, 449
Uptake, 327

Vancomycin, 321
Vapor deposition, 413

Water-soluble matrix, 306
Water-soluble polymer, 72
Wear, 506
Wear debris, 84
Whiskers, 165

X-ray diffractometry, 467
XRD, 41

ζ potential, 119
Zirconium, 285